

1. To confirm that your brick absorbs water, splash a cup of water onto the brick. If the water beads up and runs off, your brick cannot be stained. It may have a coat of sealant applied, or it may be a non-absorbent type of brick. If this is the case, contact a brick restoration specialist to see if the coating can be removed.

2. Check weather conditions. The brick surface should be completely dry and clean. Exterior brick surfaces should not be stained during wet or windy weather to avoid dripping and uneven drying. Some stains should not be applied in cold or hot weather, as described on the label.

Temperature is usually only a concern at cold and hot extremes. We recommend carrying out tinting in temperatures ranging from 5°C to 32°C.

3. Clean the bricks to remove mildew, stains, and dirt. Lightly soiled bricks can be cleaned with a simple pressure washer. Heavily soiled bricks may require the use of super-heated steam pressure washing or even a chemical brick cleaner.

4. To protect yourself and the area from splashes, wear gloves, old clothes, and safety glasses. Use painter's tape to seal off areas you do not intend to stain, such as window sills, door frames etc.

As long as you're careful during application, you do not need to seal the mortar lines between bricks.

Keep a bucket of clean water nearby so you can quickly rinse spills.

5. Ensure the lid is tightly sealed and shake the jerry can vigorously to remix any pigment that has settled. Invert and rotate the container whilst shaking. Once thoroughly mixed, pour the contents into a suitable clean container such as a paint kettle. Make sure you can easily fit your brush into the container.

6. If you are confident that the colour selected is correct, test the tinting solution in a small, inconspicuous area or if possible, on a spare brick. Allow it to dry completely so you can see how close the match is.

7. The solution can be lightened by adding water to a maximum ratio of 1 part solution to 2 parts water. It can be further lightened by adding additional fixative which is available from your supplier. Remember to record the ratio of solution to water used.

8. Repeat this test each time you try a new mixture. Stains are permanent, so it's worth taking the time to find a colour you prefer. If you cannot find a suitable colour contact us for help.

9. When you are happy with the colour apply the stain to the entire area following these steps:

9.1 Stir thoroughly in a figure eight pattern each time you dip the brush.

9.2 Dip and drain the brush. Use an ordinary paintbrush, about as wide as a single brick. Dip it into the stain, then press it against the side of the container nearest to you to drain excess stain. Don't use the side of the container opposite you, or splashes could hit the wall.

9.3 For brick-and-mortar structures, run the brush along a single brick in one smooth motion. For brick pavers or other surfaces with no material between them, brush on in overlapping strokes, covering each surface twice. In either case, immediately touch up minor gaps with the corner of the brush.

9.4 To avoid splashing, pull the brush toward the direction of the hand you are using (e.g. left to right for right-handed people).

9.5 Dip and drain the brush after every 3rd or 4th stroke, or when you notice it's leaving a less even layer of stain. Stir in a figure of 8 each time to keep the colour even. Do not dip the brush partway through a single brick unless absolutely necessary.

9.6 Tint bricks in a scattered pattern. If you stain the bricks in a row, you may get darker or lighter colour at one end, when you reach the bottom of your stain container. Any subtle differences will replicate the natural look of brick by staining in a scattered pattern.

10. Clean up any drips immediately. Drips can leave darker streaks that are difficult to remove once set. Wipe them up with a damp rag immediately. Drain the brush against the side of the container to prevent more drips.

If you accidentally stain the mortar between bricks and can't wipe it all off, scrape off the colour gently with a suitable metal tool.

11. Stain the mortar (optional). If you plan to stain the mortar, use a narrow brush that can fit inside the mortar lines. Using a different colour is recommended for aesthetic reasons.

12. Clean up. Wash all tools promptly with clean water to avoid dry residue. Any excess stain can be carefully poured back into the original container using a funnel.

13. Wait for the stain to dry. Drying time varies significantly with temperature, humidity, and product. Good air flow across the brick's surface will speed this up.

14. Admire your handy work and recommend Total Wall Care Colour Matching products to your friends and family.

Coverage depends on the porosity of the substrate and effect required.

Determine coverage with a trial application.

Typical coverage 20-25m²/Litre per coat.

Storage - Store in a dry area, away from direct sunlight. Storage conditions should be in the range of 5°C – 25°C with low to average humidity. Average shelf life is six months in original, unopened packaging.

SAFETY INFORMATION

- **Keep Out of Reach of Children**
- Irritating to eyes and skin
- Avoid contact with eyes and skin
- Risk of serious damage to eyes
- In case of contact with eyes and skin rinse immediately with plenty of water and seek medical advice
- If swallowed seek medical advice immediately and show container.
- Gloves and eye protection should be worn during mixing and application.
- Contains Potassium Silicate: 60% W/W CAS No. 67/548/EEC
- Contains Natural and Synthetic Pigment: CAS No. 1309-37-1
- May contain Amorphous Silica CAS No. 7631-86-9

Total Wall Care Colour Match Products

A range of high quality products for colour matched repairs to brick and natural stone elements. All of the products enable the existing colour to be matched or changed without affecting the substrate's ability to breathe.



Brick Repair Mortar

Hydraulic lime based repair mortar for the repair and restoration of brick. Available in a range of colours.

- 1kg - £9.85
- 5kg - £29.50
- 10kg - £42.50
- 15kg - £58.50

All prices exclude VAT



Pointing Mortar

Available in a range of colours, this high quality, lime-based pointing mortar is ready to use once mixed with water.

- 1kg - £9.25
- 5kg - £27.85
- 10kg - £39.85
- 15kg - £54.85

All prices exclude VAT



Colour Matching Tints

Simply shake to use, permanent brick tint. Can be used on brick, porous natural stone, concrete and mortar beds. Available in a range of colours and as a Soot Wash.

- 75ml Sample (non-permanent) - £7.50
- 1L - £38.00
- 2.5L - £79.50
- 5L - £109.50
- Professional Tinting Kit - £318.50

All prices exclude VAT



Crack Injection Kit

Available in a range of common brick colours, this specialist, lime-based crack injection mortar is ready to use once mixed with water. Supplied with a syringe for injecting into cracks.

- 250g - £32.80

All prices exclude VAT

Please see website for full range of colours and current special offers!



Professional Brick Tint Kit

Enables the trade professional to create their own shades of brick dye for staining brick, natural stone, concrete and mortar. Contains 4 x 1L of Base Tinting Fixative (makes 12L fully diluted) and 14 x 75ml of pigments.

- £318.50
- All prices exclude VAT



Professional Brick Repair Kit

Contains 400ml all 16 Colours of Brick Repair Mortar along with Soot Wash and Lime Wash. It's a excellent kit for carrying out small repairs and sample/test panel repairs.

- £129.50
- All prices exclude VAT



Brick Tint Multi-Packs

Build your own multi-packs. Mix and match from from the full range of brick tints to build your own 3, 6 or 12 x 300ml packs.

- 3 Pack £42.50
- 6 Pack £79.50
- 12 Pack £122.00

All prices exclude VAT

Also available as a combined "Maxi" Kit at a special rate. Please see website for details.

Total Wall Care Cleaners & Protectants

A range of high quality products for cleaning and protecting walls from the elements, pollution and vandalism.

In order to protect the environment and the health of the applicator, our range of cleaners and protectants are either water-based or, where absolutely necessary, low toxicity solvent based.

Cleaning, protecting and consolidating substrates without changing their colour or gloss is imperative and extensive testing has been carried out both in the laboratory and in the field to keep the possibility of this to an absolute minimum. All available in 1L, 2.5L and 5L sizes.



Alkaline Cleaner

A strong, water based, alkaline cleaner for compact carbonate stone. To remove the surface patina caused by pollution on carbonate matrix materials. It effectively removes grease and oily substances.

1L - £9.85
2.5L - £21.85
5L - £39.85

All prices exclude VAT



Anti-Graffiti Coating

A mixture of organic silicon compounds and micro-crystalline waxes in a water solution. Protects stone materials and structures from the spray paint used in graffiti, so that it can be easily removed.

1L - £19.85
2.5L - £46.65
5L - £89.85

All prices exclude VAT



Biocide Cleaner

A biocide suitable for wide-ranging use, it is non film-forming on the surface and it doesn't alter the original colour of the substrate. Used to remove algae, lichen, mould, yeast, moss, fungi etc.

1L - £9.85
2.5L - £21.85
5L - £39.85

All prices exclude VAT



Delicate Cleaner

An ammonium bicarbonate-based stone cleaner. It is suitable for delicate stone materials of carbonate type and/or silicate matrix stone materials. It is recommended specially for removing "black crusts".

1L - £9.85
2.5L - £21.85
5L - £39.85

All prices exclude VAT



Graffiti Remover

Ideal for removing graffiti from delicate stone materials, brick, fine marble, natural stone, lead-polished stone, imitation stone, concrete, metal and glass. The product also removes glue left behind by adhesive tape.

1L - £21.85
2.5L - £48.65
5L - £94.85

All prices exclude VAT



Oil Stain Stop

Eco-friendly, water and oil-repellent protective coating with biocide function. Protects walls from water and oil without altering their colour. Suitable for natural stones, marble, granite and concrete.

1L - £20.85
2.5L - £48.65
5L - £89.50

All prices exclude VAT



Stabiliser

Protects and consolidates both silicate matrix and carbonate matrix stone materials, It protects materials by limiting water absorption and it also improves the surface cohesion of the stone.

1L - £22.50
2.5L - £52.85
5L - £98.65

All prices exclude VAT



Storm Pro

Ecological, water based, water-repellent protective coating. Protects substrate from frost, salt water, condensation and airborne pollution. Does not change the appearance or reduce the permeability of the substrate.

1L - £17.65
2.5L - £39.85
5L - £76.85

All prices exclude VAT



Storm Pro Plus

Protective, hydrophobic coating. Penetrates deeper into the substrate to provide an extremely effective means of protection against acid rain and other pollutants.

1L - £19.85
2.5L - £46.65
5L - £89.85

All prices exclude VAT

PUMARAPID

PUMA RAPID is a range of road repair products that have been specifically designed with speed in mind. Utilising PUMA, fast curing resin technology means that there is no need for hot trades or power tools for cutting and preparation is kept to a minimum. This reduces the labour and time required to carry out repairs which saves both money and the amount of disruption to service. Typical repairs can be carried out by one person with a return to service in under an hour.

- Can be applied at low temperatures
- No hot trades required



PATCH

REPAIRING OF HOLES IN ROAD SURFACES

Suitable for repairing potholes in most substrates including hot rolled and stone mastic asphalts and concrete.

£99.85 All prices exclude VAT

Coverage - Approximately 0.5m² at 75mm depth



INFILL

CRACK REPAIR, JOINT SEALING & OVERBANDING

Suitable for filling cracks in most types of substrates including hot rolled asphalt, stone, mastic and concrete.

£99.50 All prices exclude VAT

Coverage infill - Typically 40 l/m at 5mm x 5mm
Coverage O/B - Typically 6.5 l/m at 100mm x 5mm



ANTI-SKID

HIGH FRICTION, SKID RESISTANT SURFACING

Suitable for providing an Anti-Skid surface on most types of road surface e.g warehouse entrances, ramps, forklift trafficked areas etc

£174.85 All prices exclude VAT

Coverage - Approx 2m² depending on surface texture



Available in the following colours:



ROAD MARKING

ROAD MARKING AND DEMARCATION

Suitable for creating or repairing traditional road marking and for demarcation in parking areas, warehouses, factories etc.

£89.50 All prices exclude VAT

Coverage - Typically 10.2 l/m using a 100mm draw box



DRESSING

SLIP RESISTANT SURFACE DRESSING

Suitable for surface dressing most road substrates including hot rolled asphalt, stone, mastic and concrete.

£172.50 All prices exclude VAT

Coverage - 1.25m² to 2.5m² x 5mm dependant on road surface texture



EPOXY REPAIR PUTTY/GLUE

An extremely versatile product suitable for filling, repairing, moulding & guing. Hard and impermeable, Water stop. Can be applied underwater.

1.5 Kg - £48.50
5kg - £149.50

Prices exclude VAT



BETONFIX MONOLITE - CONCRETE REPAIR

An Excellent All-in-one concrete repair mortar, for structural and non-structural repair of reinforced concrete.

Normal Curing

1kg - £9.65
5kg - £24.50
10kg - £36.80
15kg - £48.80
25kg - 56.50

Rapid Curing

1kg - £13.25
5kg - £29.50
10kg - £46.80
15kg - £58.50
25kg - £68.50

Prices exclude VAT



HYDRAULIC LIME REPAIR MORTARS

A range of hydraulic lime based repair mortars manufactured to meet both the demands of age old traditional and modern methods of restoration and repair.

kP1030 Pointing & Masonry Mortar

5kg - £27.85
10kg - £39.85
15kg - £54.85

kP1040 Stone Repair - Range of 28 Colours

1kg - £9.85
5kg - £29.85
10kg - £42.50
15kg - £58.50

Prices exclude VAT

Steadfast Specialist Products Ltd

The Yard, Orchard Cottage, Cary Fitzpaine, Somerset, BA22 8JB
Tel. 0333 210 1410 Email: info@steadfastspl.com Web: steadfastspl.com